NCCF/BPL/Project/Skill Development/2026-27/600

Date: 27.10.2026

TENDER NOTICE

NCCF Bhopal Branch invites tenders for " THE SUPPLY OF TOOLS OF VARIOUS TRADES FOR VARIOUS LOCATIONS OF GOVT. INDUSTRIAL TRAINING INSTITUTES OF MADHYA PRADESH "

1. Introduction and Invitation for Bids

The National Cooperative Consumers Federation of India Ltd. (NCCF), Bhopal invites bids from eligible, reputed and qualified suppliers for **" THE SUPPLY OF TOOLS OF VARIOUS TRADES FOR VARIOUS LOCATIONS OF GOVT. INDUSTRIAL TRAINING INSTITUTES OF MADHYA PRADESH"** for skill development and livelihood promotion.

- Tender Details.

  Tender No.: NCCF/BPL/Project/Skill Development/2026-27/600

  Name of Work: "THE SUPPLY OF TOOLS OF VARIOUS TRADES FOR VARIOUS LOCATIONS OF GOVT. INDUSTRIAL TRAINING INSTITUTES OF MADHYA PRADESH".

  Mode of Tender: Sealed Bid (Two Bid System)

  Tender Issue Date: 27-10-2026.

  Last Date of Submission: 10-11-2026 (12:00:00)

  Bid Validity: 180 Days from the date of opening of the Technical Bid

Note:

1. NCCF Bhopal reserves the right to reject all or any of the applications submitted in response to this tender at any stage without assigning any reasons whatsoever.
2. NCCF Bhopal reserves the right to modify, cancel, suspend, change, or supplement this Tender at any stage.
3. Any changes to this Tender document will be uploaded to the NCCF website (https:// nccfindia.com/) and the CPP Portal. Applicants are advised to visit the NCCF Website Regularly for any corrigenda or changes.

2. Scope of Work

The successful bidders shall be required to Manufacture/procure, pack, supply and deliver the goods as per specifications laid down in this tender document, at locations specified by NCCF or authorized agency within Madhya Pradesh.

Specification for Goods: –

The scope includes but is not limited to:

THE SUPPLY OF TOOLS OF VARIOUS TRADES FOR VARIOUS LOCATIONS OF GOVT. INDUSTRIAL TRAINING INSTITUTES OF MADHYA PRADESH, Installation, configuration, integration and testing, Training of designated personnel, Warranty support and maintenance

3. Eligibility Criteria

To participate in this Tender, bidders must meet the following criteria: -

- Legal Status: The bidders should be a registered entity under Indian Law (Proprietorship/ Partnership/Company/Coop. Society etc.). Bidders from countries sharing a land border with India must be registered with the competent authority.
- Minimum average annual turnover requirement 2,00,00,000/- during last 3 financial years. Bidders must submit a balance sheet or CA Certificate as proof.
- Bidders must have valid GST Registration.
- Bidders must have a valid PAN Card.
- Vendors shall not be under a declaration of ineligibility for corrupt and fraudulent practices issued by the Government of Madhya Pradesh.
- Past performance: Bidder should have supplied the same or similar products amounting to at least 20% of the bid quantity in at least one of the last three financial years to any Central/State Govt. organization. Copies of relevant contracts proving cumulative supply quantity must be submitted.
- Experience: Bidders should have at least 2 years of experience in Govt. Projects.
- **MSE/Startup exemption:** Micro and Small Enterprises (MSEs) and recognized Startups are exempt from the turnover and experience criteria provided they meet the quality and technical specifications. They must provide valid certificates to claim this exemption.
- **Make in India and purchase preference:** The bidder shall adhere to the Make in India policy. MII purchase preference and MSE purchase preference are applicable. To avail preference, bidders must furnish valid MSE/Udyam Registration or evidence of local content.
- **Bidder non-blacklisting:** The bidder should not have been blacklisted by any government organization or authority. A self-declaration to this effect must be provided; NCCF itself has declared it has never been blacklisted.

The Bidder shall provide all the relevant and material documents evidencing their eligibility.

Bidders have to provide an undertaking that the sample goods/items provided by the bidder will match completely with the actual goods/items provided after the award of contract as per specifications.

4. Bid Security, Performance Guarantee and Security Deposit

In accordance with NCCF's internal business guidelines, the following provisions shall apply to bid security, performance guarantee and retention money:

a. **Earnest Money Deposit (EMD):** On confirmation, the bidder should mandatorily submit an EMD (3 % i.e 21 Lakhs) in form of RTGS/NEFT/DD/cheque/FDR/, The EMD of the successful bidder/s shall be converted into part of the performance guarantee; the EMD of unsuccessful bidders will be returned without interest after award of contract. In case the lowest bidder withdraws its offer after opening of the financial bid, the EMD shall be forfeited by NCCF.

b. **Bids without EMD shall be rejected summarily. Tender Fee: Rs. 2500 Plus processing fee (Excluding 18% GST) (non-refundable)**.

c. **Performance Guarantee (PG):** The successful bidder/s shall, within the time specified in the letter of intent, deposit a performance guarantee (FDR) in favour of NCCF as security for due performance of the contract. The bidder/s have to give a self-certificate for submission of 3% performance guarantee in form of RTGS/NEFT/DD/FDR the Bid.

It must be submitted within the period specified in the Letter of Intent and shall remain valid for the contract period plus three months or the warranty period plus three months, whichever is later.

5. Important Dates

Activity

• Issue of tender notification 27.10.2026

• Last date for submission of technical and financial bids 10.11.2026 up to 12.00 hrs

• Opening of technical bids 10.11.2026 at 12.30 hr

Validity of offer 18**0 days** from the last date of submission.

6 Submission of Bids

1. Two packet system: Bids shall be submitted in two separate packets:

The tender shall be submitted under Two-Bid System:

6.1 Technical Bid (Envelope–I)

The Technical Bid shall contain:

1. Covering letter
2. Proof of firm registration
3. Experience certificates / Work orders
4. GST Registration Certificate
5. PAN Card
6. Declaration of non-blacklisting
7. EMD and Tender Fee

8. Product specifications and compliance statement
9. Quality certifications, if any

6.2 Financial Bid (Envelope–II)

The Financial Bid shall contain:

1. Item-wise unit price
2. Taxes and duties
3. Total cost (inclusive of packing, forwarding, transportation, and insurance)

○ Technical bid containing all documents demonstrating compliance with eligibility criteria, past performance, and technical specifications. Documents required include experience certificate, past performance documents, bidder turnover certificate, OEM authorization and annual turnover certificate, and any additional documents as specified.

○ Financial bid containing the price schedule. Prices should be quoted per Items inclusive of all duties, taxes, packing, forwarding, freight and insurance. Prices must be quoted in Indian Rupees.

3. Mode of submission: Bids must be submitted manually at Bhopal Branch office. Late or incomplete bids will be rejected.
4. Validity: The bid shall remain valid for 180 days from the bid closing date. NCCF may request extension of validity; bidders may refuse extension without forfeiting the EMD.

7. Evaluation Method

a. Technical evaluation: Bids will be evaluated on a total value wise basis. The technical bid will be assessed for compliance with the required specifications, eligibility criteria and completeness of documentation.

b. Past performance and experience: The Bidder or its OEM should have supplied same or similar category product for 20% of bid quantity, in at least one last three financial year before bid opening date. NCCF will verify supplied quantities using submitted work orders.

c. Financial evaluation: Among technically qualified bidders, the lowest priced bid (L1) will be selected after considering the brand preference. The work can be allotted maximum to two bidders in a ratio of 50:50 on the basis of L1 Price, Past Performance of similar work and Financial Turnover.

d. Only technically qualified bidders shall be considered for opening of Financial Bids.

e. Sample: Successful Bidders need to submit advance samples/or give Online Demo (if required) of the proposed items to NCCF Bhopal within 7 days from date of award of contract.

f. NCCF reserves the right to inspect Items, manufacturing facilities, or conduct field verification.

8. Delivery Schedule

1. The delivery of Goods/items shall be completed within 90 days from the date of issue of Purchase Order.
2. The delivery locations shall be in MP, final destination will be communicated by NCCF.
3. Delayed delivery shall attract liquidated damages as specified below.

9. Quality Assurance & Inspection

1. All items must be new, unused, and of best quality.
2. NCCF or its authorized representative shall have the right to inspect the goods at any stage.
3. Rejected materials shall be replaced by the supplier at no extra cost within 15 days.

10. General Terms and Conditions

1. Compliance with laws: All sellers/service providers must ensure compliance with applicable labour laws, including the Minimum Wages Act 1948, Payment of Wages Act 1936, Payment of Bonus Act 1965, Equal Remuneration Act 1976, Payment of Gratuity Act 1972 etc. Noncompliance will be treated as a breach of contract.
2. Option clause: NCCF reserves the right to increase or decrease the ordered quantity up to 25% during placement or currency of contract at the same rates.
3. Undertaking for non blacklisting: Bidders must submit confirming that they have not been blacklisted by any government organization.
4. **Right to reject:** NCCF reserves the right to accept or reject any bid, wholly or partly, without assigning any reason and without incurring any liability.
5. **Dispute resolution:** Disputes or differences, if any, arising under the contract, shall be referred to the arbitration of sole-arbitrator to be appointed by the mutual consent of both the parties. The arbitration proceedings shall be conducted in accordance with the Arbitration and Conciliation Act, 1996 (as amended from time to time). The venue and seat of arbitration shall be Bhopal, India, and the language of arbitration shall be English.
6. **Payment terms:** Unless otherwise agreed in writing, the following payment terms shall apply:
7. • No advance payment shall be made under any circumstances.
   • Payment shall be released to the successful vendor only after NCCF receives the corresponding payment from the concerned client department for the respective quantity supplied and after completion of documentation by bidder to NCCF. NCCF will not be liable to make any payment if not received from the department for what so ever reason.
   • The supplier must submit the following documents for processing payment:
   • Tax-compliant GST invoice in the name of NCCF, Bhopal.
   • Delivery challans duly acknowledged by the receiving authority.
   • Inspection and acceptance certificate from the concerned authority/client. Any other relevant or material document as required by NCCF.

• Applicable statutory deductions shall be made as per Government rules.

• Payment will be made through electronic transfer to the supplier's designated bank account upon submission and verification of the above documents.

• Release of GST component of the invoice shall be made only after the invoice is duly reflected in the GST portal (GSTR-2B) and is eligible for Input Tax Credit (ITC) to NCCF.

• NCCF shall release payment within 15 working days of receiving payment from the Department, subject to verification and completion of documentation. Payment shall be made after inspection and acceptance of goods, subject to submission of complete documents.

• Final payment shall be subject to reconciliation and fulfilment of replacement/warranty obligations.

8. **Warranty and after-sales service:**

9. • The Goods/items to be supplied must be brand new and covered under a standard warranty/guarantee for a minimum period of 3 (Three) from the date of invoice.

   • The Warranty Certificates must be provided by the vendor along with the goods/items at the time of supply.

   • The selected vendor shall be solely responsible for warranty of all Items, including their operation, for a minimum period of three year from the date of invoice of Equipment.

10. The vendor must ensure timely rectification or replacement of defective goods in the event of breakdown during the warranty/guarantee period, at no additional cost to NCCF or the beneficiary.

11. • The vendor must provide contact details, including a toll-free phone number and email ID, for raising warranty claims during the warranty period.

12. • The service support must be available from the date of dispatch of the Equipment from the vendor's warehouse and shall be ensured by the vendor through authorized dealers, OEMs, or third-party service partners.

13. • The repair/replacement must be carried out at the registered address of the beneficiary. In case on-site repair is not possible, the vendor must arrange pickup of the defective item(s) and ensure delivery of repaired/replaced tools at the vendor's own cost.

14. **Submission of Advance Samples and Timely Delivery:**

15. The successful bidder shall submit online demo of the proposed item(s) to the NCCF, Bhopal, within 7 days from the date of award of contract, for approval.

16. • The Consignee/Purchase Committee shall review and communicate the approval status of the submitted demo/Videos.

17. Upon approval of the sample, the successful bidder shall be required to supply the ordered goods/items 90 days from the date of contract award.

18. Failure to comply with the above timelines may result in the cancellation of the contract and/or blacklisting of the vendor, in addition to forfeiture of performance security.
19. **Termination for default:** NCCF may, without prejudice to any other remedy for breach of contract, terminate the contract in whole or part if the supplier fails to deliver any or all of the goods within the time period specified; fails to perform any other contractual obligation; or delivers goods that do not conform to the specifications. In the event of termination, NCCF may procure similar goods at the risk and cost of the defaulting supplier.
20. **Force majeure:** Neither party shall be liable for failure to perform obligations if such failure results from circumstances beyond its reasonable control, including but not limited to acts of God, war, riots, civil commotion, pandemics, fire, flood or government restrictions. The affected party shall notify the other party within 21 working days and make all reasonable efforts to resume performance.
21. **Ethics and integrity:** Bidders, their employees and agents shall maintain the highest standards of integrity and ethics during the procurement process and execution of the contract. Any form of fraud, bid rigging, collusion, undue influence or corrupt practice is strictly prohibited and will lead to immediate disqualification and may attract legal action under applicable laws. NCCF reserves the right to take appropriate action, including but not limited to cancellation of the bid/contract and blacklisting of the bidder, if any unethical conduct comes to light. Bidders are expected to comply with the anti-corruption and vigilance guidelines issued by the Government of India.

6.3. NCCF's Rights

1. NCCF reserves the right to:-

- Reject all or any bids without assigning any reason.
- To modify, suspend, change or supplement this tender at any stage. Any change to this tender document shall be uploaded on NCCF website http://nccfindia.com and CPP Portal.
- In case of any ambiguity/ dispute in the interpretation of any of the clauses in this Tender Document, NCCF's interpretation of the clauses shall be final and binding on all applicants/parties.
- At any stage, if it is found that the supplier/manufacturer (Proprietorship, Partnership, Private Limited Company, etc) has given incorrect and misleading certificate/ information/ document(s), NCCF shall be free to take suitable action including cancellation of contract, forfeiture of security / Tender security amount, blacklisting of the applicant, etc.
- Call for any additional information/documents from experienced firm (Proprietorship, Partnership, Private Limited Company, etc) and same shall be submitted by them to NCCF within given time period.

- It may kindly be noted that Government of India or any State Government in India shall not be a party to this transaction.
- NCCF shall be at liberty to postpone / cancel the tender and accept or reject any bid without giving any reason whatsoever.
- NCCF shall terminate the empanelment of a Business Associate if they have competed against NCCF in any bid either individually, as a partner or in a Joint Venture.
- Violation of any terms & conditions of this tender may lead to termination/blacklisting/ penalty.
- Conditional bids shall not be accepted.
- The decision of NCCF shall be final and binding.

7. Subletting

- The supplier/manufacturer shall not sublet, subcontract, or assign the contract to any third party.
- Any attempt to subletting shall lead to termination, blacklisting and forfeiture of Security Amount.

8. Blacklisting

NCCF reserves the right to blacklist the agency for upto 5 years for:-

- Fraudulent documents
- Non-performance
- Non-compliance with laws
- Corruption or unethical practices.
- Breach of confidentiality, etc.
- NCCF may declare a vendor ineligible, either indefinitely or for a stated duration, to be awarded or contact if it at any time determines that the vendor has engaged in corrupt and fraudulent practices during the execution of contact.

9. General Clause

- Misuse of NCCF name, logo or letter head, etc shall lead to blacklisting including forfeiture of EMD but not limited initiation of legal proceedings.

10. Indemnity Clause:-

The manufacturer/supplier shall indemnify NCCF against all the claims, damages, losses, costs and expenses arising out of negligence or breach of terms by the vendor, etc.

11. Integrity & Anti-Corruption Clause:

The supplier/manufacturer shall not engage in any corrupt, fraudulent, collusive, or coercive practices. If such activities are detected, NCCF may cancel the contract immediately and may blacklist the supplier, impose penalty and take legal action as per applicable laws.

12. Legal & Audit Protection Clause

Submission of false, misleading, fabricated, or suppressed information at any stage of the tender process shall result in one or more of the following actions, at the sole discretion of NCCF:

- Rejection of the bid;
- Termination of the contract, if already awarded;
- Forfeiture of Earnest Money Deposit / Performance Security;
- Blacklisting / debarring of the bidder;
- Recovery of losses or damages suffered by NCCF;
- Initiation of appropriate legal action as per applicable laws.

Such action shall be without prejudice to NCCF's other contractual and statutory rights.

13. 1.Termination for Default

a) NCCF may terminate the contract, in whole or in part, by issuing a written notice to the supplier, in the event of:

- Persistent delay in supply;
- Repeated quality failures;
- Breach of any term or condition;
- Insolvency, liquidation, or cessation of business by the supplier;
- Fails to deliver goods as per schedule;
- Supplies substandard material;
- Violates any terms and conditions of the tender.

a) Termination under this clause shall be without prejudice to NCCF's right to recover losses or damages.

13. 2.Termination for Default (Continued)

- NCCF may declare a vendor ineligible, either indefinitely or for a stated duration, to be awarded or contact if it at any time determines that the vendor has engaged in corrupt and fraudulent practices during the execution of contact.
-

13.3..

14. Termination for Convenience

NCCF reserves the right to terminate the contract at its discretion, in whole or in part, by giving reasonable written notice, without assigning any reason and without incurring any liability, other than payment for goods duly supplied and accepted up to the date of termination.

15. Documents to be submitted:

The following documents must be submitted for technical bids:

Sl.	Document	Notes
1	Bidder's Covering Letter	Signed by authorized signatory on company letterhead.
2	Certificate of Incorporation/ Registration	Proof of legal status.
3	PAN & GSTIN certificates	
4	Audited financial statements for the last two financial years	To meet the minimum turnover requirement.
5	Work orders / Completion certificates of similar supplies	Demonstrating supply of at least 20% of bid quantity in any one year.
6	OEM authorization and OEM annual turnover certificate	OEM's average turnover must meet 200 lakhs criterion.
7	Make in India (MII) compliance certificate from OEM	E.g., certificate stating that the machines offered are fully /Partly manufactured in India and contain >20% Indian components.
8	MSE/Udyam or Startup certificate (if applicable)	For claiming turnover/experience exemption.
9	Local content self-declaration	To support Class I/Class II supplier classification.
10	Notarised affidavit of non black listing	As per clause.
11	Sample toolkit undertaking and list of toolkit contents	Undertaking that supplied toolkit will conform to sample; detailed list of Items provided should align with Section 2.
12	Any other document required by the tender	Such as power of attorney, banker's details etc.

Sl.	Document	Notes
13	Solvency/financial soundness certificate	1. Issued by a nationalized or scheduled bank, demonstrating the bidder's financial capacity. It is further clarified that no contract / agreement shall be signed with Bidder until the said certificate is submitted.

16. Bank Details

- **Name of Beneficiary: National Cooperative Consumers Federation of India Ltd.**
- **Account Number: 1223411079**
- **Name of Bank: CENTRAL BANK OF INDIA**
- Address of Bank: Jail Road Bhopal
- IFS Code: CBIN0283134

17. CONTACT DETAILS

Branch Manager:
NCCF Bhopal Branch
Address:
Email: rmnccfbhopal@gmail.com , bm.bhopal@nccfindia.com

Phone: +91 97175 31997

Date: 27.10.2026



(Branch Manager)

Place: Bhopal

Annexure - A

LIST OF ITEMS (SPECIFICATIONS)

S.No.	Name	Specification	Qty	Unit
1	4Pointrelays	12VDC	2	Nos
2	5Pointrelays	12VDC	2	Nos

3	ACalternatorslipring puller	Manual puller with adjustable hardened steel ja removingslipringsfromautomotivealternatorroto without damaging the shaft.	12	Nos
4	Adjustable pipe chai tongetotakepipesupto 300mm	ChainLength1000mm(min),Length1300mm (mi	36	Nos
5	Adjustablespanner	Pipewrench350mm	4	Nos
6	Airblowgunwithstand accessories	125mmSteelNozzlewith1/4InchAirInlet	41	Nos
7	AirImpactRatchet (wi standardaccessories)	1/4-inchsquaredriveCEcertified	96	Nos
8	Airimpactwrenchwith standardaccessories	1/4-inchsquaredriveCEcertified	139	Nos
9	AllenKey	setof12pieces(2mm to 14mm)	146	Nos
10	AllenKey	(1.5 -14mm Setof12)	123	Nos
11	AllenKey	9-piecemetricL-shapedset	59	Set
12	Allenkeymetric	3to12mm set	4	Set
13	Allenkeyset	(setof9)	12	Nos
14	Allenkeyset (Hexagon setof9)	1-12mm, setof24Keys	1	Nos
15	AllenScrewdriv Wrench Tool	6PcsTHandleBallEndedHexKey	16	Nos
16	AnglePlate	150X150X250mm	72	Nos
17	AnglePlate	200X100X200mm	62	Nos
18	AnglePlate	Adjustable250X150X175mm	31	Nos
19	Angleplate-adjustable	250x250x300mm	2	Nos
20	Anvil	50KGSwithStand	20	Nos
21	Arborpresshandoperat	2toncapacity	1	Nos
22	ArmStrongTypeToolH Holder	RightHand	74	Nos
23	ArmStrongTypeToolH Holder	StraightHand	85	Nos

24	ArmStrongTypeToolE Holder	LeftHand	76	Nos
25	AviationSnipsstraight t	300mm	70	Nos
26	Backprobetools	Insulated,fine-tipprobes,standard4mmmulti connections	6	Nos
27	Batteryterminalcleane tool	Manualdual-endedtoolwithsteelwirebrushe cleaning battery posts	2	Nos
28	Batterytester	2,6,12VDC,4-500Ahbatterymeterportableand compact	5	Nos
29	BearingPuller	10mmto100mm	2	Nos
30	BearingPuller(insi and outside)	200mm	56	Nos

31	BeltTensionergauge	Mechanical gauge for checking automotive drive-belt tension,suitableforV-beltsandserpentinebelts,with clearly graduated scale	42	Nos
32	BenchVice	BenchVice-125mm	1	Each
33	BenchVice	JawSize100mmHardness50HRC	666	Nos
34	BenchVice	JawSize150mmHardness50HRC	623	Nos
35	BenchVice	BenchVice-50mm	1	Each
36	BevelStraightEdge	80X100mm	25	Nos
37	Blow Lamp	1 litre	4	Nos
38	Blow Lamp	0.50liters.	160	Nos
39	Boregauge	dialindicator(1mmrange,0-0.01mmgraduation)-Range of bore gauge 18-70 mm	1	Set
40	BoreGauge(withDial Indicator(Cylinder)	20to160mm	116	Nos
41	Boxspanner	Set6-25mmsetof8withTommy bar.	160	Nos
42	BreadBoard	Solderlesselectronicbreadboardwithminimum800tie-points, dual power rails and jumper-wire compatibility.	25	Nos
43	C –clamp-	50mmand75mm	4	Nos
44	Caliper (Inside)	150mm	644	Nos
45	Caliper(OddLeg)	150mm	534	Nos
46	Caliper (Outside)	150mm	612	Nos
47	CarJet washer	Portablehigh-pressurewasher,minimum1,500Wmotor, 100barworkingpressure,completewithspraygun,lance and minimum 5 m hose.	2	Nos
48	Carburetorrepairtoolkit	Kitcomprisingjetcleaners,cleaningneedles,screwdrivers, picks, brushes and adjustment tools, supplied in a storage case	1	Nos
49	Cardfile	BrassorSteelWire	32	Nos
50	CastIronSurfaceplate	300x300mm	1	Nos

51	C-Clamp	100mm	261	Nos
52	C-Clamp	150mm	32	Nos
53	C-Clamp	200mm	184	Nos
54	Center Punch	100mmIS7177Certified	38	Nos
55	Centre drills	3,4,5mm	4	Each
56	Centre gauge	55degand60deg	4	Nos
57	ChaserhardW/V	9to40T.P.I. setof11 external.	1	Set
58	Chaser,handW/W	9to40T.P.I. setof11 internal.	1	Set
59	Chisel	10cmflat IS402 Certified	8	Nos
60	Chisel	cold9mmcrosscut9mm diamond	160	Nos
61	Chisel	cold19mm flatIS402certified	160	Nos
62	Chisel	cold9mmroundnose	160	Nos
63	Chisel-Cold-Flat	10mmX150mmIS402 Certified	1	Nos
64	Chisel(ColdFlat)	10mmX100mmIS402 Certified	88	Nos
65	Chisel(ColdFlat)	20mmX150mmIS402 certified	783	Nos
66	Chisel(ColdFlat)	9mmX100mm IS402Certified	258	Nos
67	Chisel(ColdRound Nose)	9mmX100mm	300	Nos
68	Chisel(Cold)	9mmX150mm IS402Certified	322	Nos
69	Chisel(Cold)	25mmX 200mmIS402 Certified	82	Nos
70	Chisel(CrossCut)	6mmX200mm	95	Nos
71	Chisel(CrossCut)	9mmX150mm	308	Nos

72	Chisel(DiamondPoint)	9mmX150mm	335	Nos
73	Chisel(Firmer With WoodenHandle)	6mmX200mm	98	Nos
74	Chiselcoldflat	18x150mmIS402Certified	4	Nos
75	ChiselCrossCut	10x 3x200mm	4	Nos
76	Chiseldiamondpoint	10x200mm	4	Nos
77	ChiselHalf Round	10x250mm	4	Nos
78	Circlipplier(inside and outside)each	100mm	4	Nos
79	CirclipPliersExpanding andContractingtype	150mm	118	Nos
80	CirclipPliersExpanding andContractingtype	200mm	84	Nos
81	CirclippliersExpandin g and contracting type	15cmand20cmeach	6	Nos
82	Civilworkutensils	spade,mixingspoon,levelingplates	59	Set
83	Clamp“C”	5 cm	80	Nos
84	Clamptoolmakersetof2	5cm and7.5cm	65	Nos
85	Cleaningtray	45x30 cm.	8	Nos
86	Clinometer	forAnglemeasurement	59	Nos
87	Clutches,differenttypes such as cone type, disc type	Brandnewclutchofconeanddisctypefordemonstration purpose	1	Each
88	ColdChisel	20mmIS402 Certified	6	Nos
89	Combinationplier	150mm	379	Nos
90	CombinationPlier Insulated	200mm	2351	Nos
91	Comparators Gauge (D i a l IndicationwithStandand Bracket)	LC0.01mm	58	Nos

92	Compressiontesting Gauge	forDieselEnginewithstandardaccessoriesMeasuring range up to 70 bar, complete with flexible hose	69	Nos
93	Connectingrodalignment fixture	Rigidbench-mountedfixtureforcheckingconnecting-rod bend and twist, with gauge	1	Nos
94	Connectingscrewdriver	100mm	144	Nos
95	Connectingscrewdriver	10X100mm	12	Nos
96	Continuitytester	Handheldelectricalcontinuitytesterwithaudible/visual indication, insulated probes and flexible test leads	116	Nos
97	Continuitytester	With4½DigitDisplayand20kCount	6	Nos
98	Copperbitsolderingiron	0.25Kg	8	Nos
99	Cottongloves	Knittedcottonprotectivegloves,full-fingertype,reusable, comfortable fit	295	Pair
100	CrimpingTool	1.5sqmmto16sqmm 16 sq mm to 95 sq mm	59	Each
101	CrimpingTool	1.5sqmmto16sqmm	118	Nos
102	CrimpingTool	16sqmmto95sqmm Hydraulic	201	Nos
103	Crimpingtool(pliers)	7in 1	2	Nos
104	Crimpingtool(pliers)	150mm	12	Nos
105	CrimpingToolHand operated	upto10mm	89	Nos

106	CrimpingToolHand Operated	upto4mm	69	Nos
107	CrimpingTools	Ratchet-typecrimping toolfor insulated andnon-insulated terminals,suitableforconductorsizesapproximately0.5–6 mm²	162	Nos
108	Cylinderboregauge capacity	20to160mm	4	Nos
109	CylinderLiner	Dry&Wet,Press Fit& SlideFit	40	Nos
110	D.Espanners	3-4,6-8,10-12,13-14,15-16,18-19,20-22,24-26(8-spanners)	2	Set
111	D.E.metric Spanner DoubleEnded	6-32mm	461	Set
112	De-solderingpump electrical heated,manualoperators	230V,40W	12	Nos
113	Depthmicrometer	0-25mm	8	Nos
114	De-solderingpump	Manualspring-operatedsuctionpumpwithheat-resistant replaceable PTFE nozzle and anti-static body	144	Nos
115	Diagonalcutter	150mm	25	Nos
116	Dialgaugetype	1Gr.A(completewithclamping devices and stand)	8	Nos
117	Dialtestindicator	Levertype-Range0-0.8mm–Graduation0.01mm,reading0-50-0withaccessories	2	Nos
118	Dialtestindicator	Plungertype-Range0-10mm,Graduation0.01mm, Reading 0-100 with revolution counter	2	Nos
119	Diamonddresserwith holder	Single-pointindustrialdiamonddresserfittedinarigid steel holder	2	Nos
120	Diefor Threading	Differentsizes	118	Set
121	Dies& StockSet	6-50mm	23	Nos
122	Dies&StockSet Metric	HSS metric threading-diesetcoveringapproximatelyM6–M12	54	Nos

123	DifferentProfilegauges (Plate type)	FordemonstrationMetricStandard	291	Nos
124	DigitalDialTorqueWrench	Range:20to280Nm	32	Nos
125	Digitalmicrometer(inside, outsideand depth)	0-25 mm	1	Nos
126	DigitalMultimeter	DCVoltage:200mV,2V,20V,200V,and600VACVoltage: 200V and 600VDC Current: 200µA up to 10AResistance: 200Ω up to 2MΩDisplay: LCD screen with backlight and 2,000 counts BIS Certified	184	Nos
127	DigitalMultimeter	(33/4digit),4000Counts	12	Nos
128	DigitalVerniercaliper	150mmand200mmeach	1	Each
129	Distributor	Dualadvancetype,reluctancetype	2	Each
130	Divider	150mm	846	Nos
131	DO'sandDon'tsSheet	Laminatedmulticoloursafetysheet,minimumA3size, displaying equipment-specific operating precautions, required PPE, safe practices, prohibited actions and emergency instructions; suitable for wall mounting	5	Each
132	Dot punch	100mm	25	Nos
133	DoubleEndedWrenchHex Socket Spanner	8In1,Range:6-32mm	16	Nos
134	Dowelpin (straight StainlessSteel)	Dia1"Length4"	72	Nos

135	DriftPunchCopper	15cm	8	Nos
136	Drift,copper	10x151/2mm	2	Nos
137	DrillChuck(MorseTaper)	0-12mm	31	Nos
138	DrillDrift	Hardenedandtemperedtool-steeldrilldriftforremoving Morse-taper drills and arbors	103	Nos
139	Drill gauges Letter drill gauge (A to Z), Number drill gauge (1 to 60), Metricdrillgauge(1.5mm to12.5mm,30 holes)	LettergaugeA–Z,numbergauge1–60andmetricgauge 1.5–12.5mmwith30accuratelymarkedholes.	146	Nos
140	DrillHand Brace	0-100 mm	259	Nos
141	Drillpointanglegauge	Stainless-steelgaugeforcheckingdrill-pointangles, includingstandard118°angle,withgraduatedscale	31	Nos
142	Drilltwist	1.5mm to15mm(varioussizes)by0.5mm	8	Nos
143	Ear Plugs	Reusablesoftsilicone/TPEearplugswithcord,minimum noise reduction rating of 25 dB	21	Pair
144	EarthClamp	600A	114	Nos
145	ElectricSolderingIron	230V60watts230V25wattsIS302Certified	6	Each
146	Electrictesting screw driver	NeonType	6	Nos
147	Electricalsolderingiron	230V15WIS302Certified	80	Nos
148	ElectricalSymboland Accessories Charts	Laminated, multicolour instructional charts showing standardelectricalsymbols,wiringaccessoriesandtheir applications; minimum A2 size.	236	Nos
149	ElectricianScrewDriver	250mm	13	Nos
150	ElectricianScrewDriver thinsteminsulatedhandle	4mmX250mm	1239	Nos
151	Electricianscrewdriver thinsteminsulatedhandle	4mmX100mm	2309	Nos

152	ElectricianToolKit	Kitcomprisinginsulatedscrewdrivers,combinationplier, long-nose plier, side cutter, wire stripper, tester, measuring tape, knife and insulation tape in a tool box.	3	Nos
153	Engineer'ssquare	15cm. Blade	113	Nos
154	Engineer'sSquare	150mmwithknifeedge	25	Nos
155	Engineersstethoscope	Mechanicaldiagnosticstethoscopewithflexibleprobeand sound-amplifying earpieces for locating abnormal engine and machinery noise.	1	Nos
156	Equipmentpuncture,in box	Tyrepuncture-repairkitcontainingreamer,insertiontool, repair strips/patches, rubber solution, valve tools and accessories in a storage box.	1	Nos
157	ExecutiveAutoElectrical tool kit	Professional kit comprising digital multimeter, circuit tester,testlamp,backprobes,wirestripper,crimpingtool, terminal-removal tools, insulated screwdrivers, pliers, spanners and test leads, supplied in a portable case.	1	Nos
158	Feeler gauge	20blades(metric)IS3179Certified	66	Nos
159	FeelerGauge (Metric)	25bladesIS3179 Certified	65	Nos
160	File(Featheredge 150 mm)	Steelfilesdulyhardenedandtempered	108	Nos
161	File(FlatBastard200mm)	Steelfilesdulyhardenedandtempered	632	Nos
162	File(FlatBastard250mm)	Steelfilesdulyhardenedandtempered	245	Nos
163	File(FlatBastard350mm)	Steelfilesdulyhardenedandtempered	39	Nos
164	File(FlatRough150mm)	Steelfilesdulyhardenedandtempered	245	Nos

165	File(FlatSecondCut200 mm)	Steelfilesdulyhardenedandtempered	761	Nos
166	File(FlatSecondCut250 mm)	Steelfilesdulyhardenedandtempered	947	Nos
167	File(FlatSecondCut350 mm)	Steelfilesdulyhardenedandtempered	87	Nos
168	File(FlatSecondCutSafe Edge300mm)	Steelfilesdulyhardenedandtempered	401	Nos
169	File(FlatSmooth250mm)	Steelfilesdulyhardenedandtempered	744	Nos
170	File(HalfRoundBastard 250mm)	Steelfilesdulyhardenedandtempered	374	Nos
171	File(HalfRoundRasp Bastard250mm)	Steelfilesdulyhardenedandtempered	258	Nos
172	File(HalfRoundSecond Cut150mm)	Steelfilesdulyhardenedandtempered	607	Nos
173	File(HalfRoundSecond Cut200mm)	Steelfilesdulyhardenedandtempered	430	Nos
174	File(HalfRoundSecond Cut250mm)	Steelfilesdulyhardenedandtempered	341	Nos
175	File(HandSecondCut15 0 mm)	Steelfilesdulyhardenedandtempered	246	Nos
176	File(KnifeEdgeSmooth 150mm)	Steelfilesdulyhardenedandtempered	116	Nos
177	File(NeedleSwiss150m m Setof12)	Steelfilesdulyhardenedandtempered	217	Nos
178	File(RoundBastard250 mm)	Steelfilesdulyhardenedandtempered	471	Nos
179	File(RoundSecond Cut 200mm)	Steelfilesdulyhardenedandtempered	620	Nos
180	File(SquareRound300 mm)	Steelfilesdulyhardenedandtempered	106	Nos

181	File(SquareSecondCut 200mm)	Steelfilesdulyhardenedandtempered	119	Nos
182	File(SquareSecondCut 250mm)	Steelfilesdulyhardenedandtempered	444	Nos
183	File(SquareSecondCut 300mm)	Steelfilesdulyhardenedandtempered	48	Nos
184	File(TriangularSecondCut 150mm)	Steelfilesdulyhardenedandtempered	119	Nos
185	File(TriangularSecondCut 200mm)	Steelfilesdulyhardenedandtempered	422	Nos
186	File(TriangularSmooth 200mm)	Steelfilesdulyhardenedandtempered	494	Nos
187	Filecard(spattle)	File-cleaningbrushwithhardenedsteel-wirebristlesand wooden/plastic handle	4	Nos
188	FileCard3"x5" Size	BrassorSteelWire	428	Nos
189	Fileflat	30cmsecondcut.	160	Nos
190	Fileflat bastard	300mm	329	Nos
191	Fileflatsafeedge	200mm	25	Nos
192	Fileflat smooth	200mm	6	Nos
193	Fileflat smooth	safeedge200mm	4	Nos
194	Filehalfround bastard	300mm	4	Nos
195	Filehalfround smooth	250mm	4	Nos
196	Filesquare smooth	250mm	4	Nos

197	Filetriangularrough	200mm	25	Nos
198	Filewarding	15cmsmooth	160	Nos
199	File,Square	30cm round	8	Nos
200	Filesassortedsizesand typesincludingsafeedge file	Steelfilesdulyhardenedandtempered	90	Set
201	FireBuckets	Standardsize	2	Nos
202	Firstaidkit	Portable first-aid box containing sterile dressings, bandages,gauze,antisepticwipes,adhesivetape,scissors, gloves and other essential contents. Bidder must submit druglicenseforthesame.	119	Nos
203	FlatFile	35cmbastard	8	Nos
204	Fuelfeedpumpfor diesel	Mechanicallyoperatedbrandnewdiesel-enginefuel-feed/lift pump	2	Nos
205	Fuelinjectionpump (Diesel) inline	Multi-element brand new inline diesel fuel-injection pump withgovernor,deliveryvalvesandcontrolrack,suitablefor demonstration and servicing practice.	1	Nos
206	Fuses	HRC,Glass,RewireType	236	Each
207	GaugeplugSingleended5to55by5mm	Setof11pcs	46	Nos
208	GaugesnapGoandNot Go25to50mm by5mm	Setof6pieces	45	Nos
209	Gauge,wireimperial stainlees steel markedinSWG&mm	WireGauge-Metric	118	Nos
210	Glassmagnifying	7 cm	160	Nos
211	Gloves	Reusablegeneral-purposeindustrialgloveswithtextured grip, abrasion resistance and comfortable inner lining	21	Pair
212	Granitesurface plate	1600x1000withstandandcover	2	Nos
213	GraniteSurfaceplate	450X450X80mm minimum	1	Nos
214	GreaseGun	Hand-operatedlever-typegreasegun200cc	3	Nos

215	GreaseGun(0.5L)	Hand-operatedlever-typegreasegun,500mlcapacityIS 7477 Certified	88	Nos
216	GreaseGunheavyduty trolleytype	10KgsCapacity	34	Nos
217	Grover	3,4,6mm.	1	Each
218	Growler	230VACbench-typearmaturegrowlerfordetecting shorted coils in armatures	6	Nos
219	Gumboots	Waterproof,anti-slipPVC/rubbersafetygumboots,IS 12254 Certified	118	Pair
220	HackSawFrame (Adjustablewithblades)	300 mm	475	Nos
221	HackSawFrame(Fixed withblades)	150mmIS5169Certified	120	Nos
222	HackSawFrame(Fixed withblades)	300mmIS5169Certified	608	Nos
223	Hacksawframe(with blade)	Adjustable300mm,Fixed150mmIS5169Certified	118	Each
224	HalogenIncandesc ent Lamp	Automotivehalogenheadlampbulb,12V,60/55W,dual -filament type	94	Nos
225	Hammer	½kg ballpeen	930	Nos
226	Hammer(BallPein with TeakWoodHandle)	0.25KG	877	Nos

227	Hammer(BallPein with TeakWoodHandle)	0.75KG	120	Nos
228	Hammer(Chippingwith TeakWoodHandle)	0.25KG	309	Nos
229	Hammer(Copperwith TeakWoodHandle)	1.0KG	174	Nos
230	Hammer(CrossPeinwith TeakWoodHandle)	0.25KG	2413	Nos
231	Hammer(Extractortype withTeakWoodHandle)	0.25KG	260	Nos
232	Hammer(FlatHeadwith Handle)	0.5KG	98	Nos
233	Hammer(HandwithTeak WoodHandle)	1 KG	29	Nos
234	Hammer(NylonwithTea k WoodHandle)	Double-facednylonhammer	147	Nos
235	Hammer(Planishing)	Polishedhardened-steelplanishinghammerwithflatand slightly crowned faces approximately 200gm	78	Nos
236	HammerCrossPeen	0.75kgwithhandle	4	Nos
237	HammerMallet	r u b b e r / woodenmallet,approximately500g,withsecurely fitted hardwood handle	6	Nos
238	HammerPlastic	50mmface	6	Nos
239	H a n d o p e r a t e d crimping tool (i) for crimpingupto4mman d(ii)for crimpingupto10mm	Two hand-operated crimping tools:one suitable for conductorsupto4mm²andtheotherupto10mm²,with hardened jaws and insulated handles.	2	Nos
240	H a n d D r i l l M a c h i n e Electric withHammerAction	13mm BISCertified	2	Nos
241	HandDrillingMachine	Ratedinputpower:600W,Poweroutput:301W,Rated torque: 1.8 Nm BIS certified	16	Nos

242	HandGloves	Durable full - fingerworkshopsafetygloveswithreinforced palm, textured grip and resistance to abrasion and minor cuts	384	Nos
243	Handhammer	1kg.withhandleBall Peen	160	Nos
244	Handreamer (Adjustable 10.5to11.25mm,11.25 to12.75mm,12.75to 14.25mmand14.25to 15.75mm)	Setof4	56	Nos
245	HandReamer(SetTaper pinstraight flute)	6,8,10,1216mm	44	Nos
246	Handreamersadjustable	10.5to11.25mm,11.25to12.75 mm,12.75to14.25mmand14.25 to 15.75mm	4	Set
247	Handrubberglovestested for 5000V	Electrical insulating rubber gloves tested for 5,000 V , anatomicallyshapedandmarkedwithtestvoltagewith Govt approved NABL lab test report	5	Pair
248	HandShear Universal	250mm	4	Nos
249	HandShear Universal	BladeLength250X3mm	55	Nos
250	HandTapsand dies	Stockmetric5mmto12mm complete set in a box	2	Set
251	Hand vice	37mm	38	Nos
252	Hand Vice	50mm jaw	365	Nos
253	Hand Vice	75mm Jaw	16	Nos
254	Handsaw450mm	450mm	7	Nos
255	HeavyDutyScrewDriver insulated	5mmX200mm	1239	Nos
256	Highratedischargetester (cell tester)	Portablebatteryloadtestersuitablefor6/12Vautomotive batteries	2	Nos

257	Holders,lampteakwood boards, plugsockets, solders, flux wiresand cables batteries round consumable blocks and other consumables as required	Assorted lamp holders, teakwood mounting boards, 5 A plugsockets,solder,flux,wires,cables,batteries,terminal blocks and related consumables for practical work.	1	Set
258	HollowPunchsetof sevenpieces 6mmto15mm	6mmto15mm	4	Each
259	HydraulicjackHI-LIFTtype -	3toncapacityIS4552 Certified	1	Nos
260	Hydrometer	Glass/ plasticbatteryhydrometerformeasuringelectrolyte specific gravity	165	Nos
261	ImpactWrench	1/2inchdrive	32	Nos
262	Indexableboringbarwith inserts	1"shank	295	Nos
263	IndustrialGoggles	Clear-impact-resistantsafetygoggleswithindirect ventilation and adjustable temples	21	Nos
264	Injector–Multiholetype, Pintle type	Oneeachofmulti-holeandpintle-typebrandnewdiesel injector for demonstration purpose	4	Each
265	Injectortestingset(Hand tester)	Hand-operated diesel injector tester with pressure gauge uptoapproximately600bar,fuelreservoir,shut-offvalve and injector connecting pipe.	1	Nos
266	InsulatedScrew driver	20cmx9mmblade	8	Nos
267	InsulatedScrew driver	30cmx9mmblade	8	Nos
268	InsulatedScrew driver	200mm	5	Nos
269	Insulatedside cutting pliers	150mm	325	Nos
270	Jigs&Fixture	Suitableforlocating,supportingandclampingcomponents during drilling, machining and assembly demonstrations.	73	Nos
271	KnifeElectrician	100mmstainlesssteel	2449	Nos

272	KnurlingTool(Diamond, Straight&Diagonal)	Setof3	66	Nos
273	LampHolder(230V,5A)	Batten/angle-typelampholderrated230VAC,5A,with insulated body and brass contacts	108	Nos
274	Lappingplate	250mmx200mm	140	Nos
275	LaserLightPen	Handheldredlaserpointer,wavelengthapproximately650 nm,outputbelow5mW,batteryoperatedwithON/OFF switch.	32	Nos
276	LeatherApron	Heavy-duty split-leather workshop/welding apron with adjustableneckandwaiststraps;minimumlength60cm	100	Nos
277	Letter punch	5mmset	2	Set
278	LiftingJackScrew Type	20Ton	43	Nos
279	LiftingJackScrew Type	3 Ton	33	Nos
280	LiftingJackScrew Type	5 Ton	37	Nos
281	Liftingjackscrewtype	3ton,5ton	1	Each
282	Liftingjackscrewtype	3ton,5ton&20Toncapacity	3	Each
283	Liftingsling(NominalDia. Singlelegsling)	8mm	150	Nos
284	LiftingTackle/Sling	1Ton×2mtr	64	Nos
285	LimitSwitch (Lever operated,2-contacts)	2A 500v	185	Nos
286	Limit Switch, Pressure Switch,MicroSwitch,Float Switch, Foot Switch	Assortedindustrialswitchesratedminimum230VAC, complete with terminals and mounting provision for practical demonstration.	2	Each
287	LineTester(NeonBulb)	500V	2502	Nos
288	Liquidpenetrant Inspection kit	NDTkitcomprisingcleaner/remover,visibleredye penetrant and white developer in aerosol cans	30	Nos

289	Logic probe	Digital logic probe suitable for TTL/CMOS circuits, with HIGH,LOWandPULSELEDindicationsandprotected test tip.	6	Nos
290	LuxMeter	Portabledigitalluxmeter,measuringrangeuptominimum 200,000 lux, with separate light sensor and data-hold function	80	Nos
291	Machinereamer	setupto12mm	2	Set
292	MachineReamerParallel (Helicalflutesetof5)	12-16 mm	46	Nos
293	Machinetapset	uptoM12mm(withstd.pitch)	2	Set
294	Machinevice(SwivelBase)	100mm	154	Nos
295	Machinevice(SwivelBase)	125mm	58	Nos
296	Magneticcompass	Magneticcompasswith360°graduateddial,direction markings and protective casing.	236	Nos
297	Magneticstand	Magneticbase60x47.5mmandwithuniversalswivel clamp, dial holding rod (150 mm) scriber	2	Nos
298	Magnetospanner	Setwith8 spanners	58	Set
299	Magnifier	Handheldmagnifyingglasswithminimum3× magnification,scratch-resistantlensandergonomic handle.	30	Nos
300	Magnifyingglass	75mm	24	Nos
301	Mallet(Hard Wood)	0.50KG	361	Nos
302	MalletsWooden	250gm	160	Nos
303	Markingouttable	90X60X90cm.	2	Nos
304	MaterialSafetyDataSheet	Printedandindexed MSDS / SDSfilecoveringchemicalsand consumables used in the workshop, including handling, storage and first-aid information	21	Nos
305	MeasuringSteelTape	5meterBIScertified	2508	Nos

306	MeasuringTape	Retractablesteelmeasuringtape,5m×approximately19 mm, metric graduation, locking mechanism and impact-resistant case. BIS and NABL certified	16	Nos
307	MeasuringTape(10M GraduatedinMetric&British)	Retractablesteelmeasuringtape,10m×approximately19 mm, metric graduation, BIS and NABL certified	94	Nos
308	Megger	500V-200MOhm SharpBacklightDisplay,H.V.SafetyWarning,SinglePerson Push Button Operation, High Accuracy ± 5% of Effective Range, Meets IEC 61010, Installation Category II, Designed to Generally Confirm IS 10656 - 1983, Govt accrediated NABL LAB test report to be submitted	2	Nos

309	Micrometer(outside)	0-25 mm	33	Nos
310	MicrometerInside	Upto20m006D	80	Nos
311	Micrometer–inside–outside	depthrangeupto75mmeach	3	Set
312	MicrometerOutside	0–50mmoutside	80	Nos
313	MotorizedTennonSaw	approximately250–300mmblade	16	Nos
314	MultiMeter(analog)	0to1000MOhms,2Vto500V,100microAto10ADCand AC	59	Nos
315	Numberpunch	5mmset	2	Set
316	Oil can	0.5/0.25litercapacity	278	Nos
317	OilGunandGreaseGun each	Hand-operatedoilgunandlever-typegreasegun0.25L, each complete with delivery spout/hose and standard coupler IS 7477 Certified	4	Nos
318	Oilpumpfordismantling and assembling.	Automotive/tractorengineoil-pumpassemblycomplete with housing	2	Nos
319	Oil Stone	15cmx5cmx2.5 cm	34	Nos
320	OilStoneCarborandum, Coarse on one side and fineontheother	200x50x25mm	25	Nos
321	OutSideMicrometer	0-25mm leastcount0.01mm	118	Nos
322	Outsidemicrometer	25to50mm	8	Nos
323	Outsidemicrometer	50to75mm	2	Nos
324	Outsidemicrometer	75to100mm	2	Nos
325	PalmScale	Capacity-500gms,LeastCount-0.1g	16	Nos
326	ParallelblockStandard sets	Matchedhardenedandgroundsteelparallelblocksof assorted metric sizes, Set of 3	2	Set
327	Parallelhand reamer	6mmto12mminstepsof1mm with handle	4	Set
328	PCIslotTesting tool	Computer motherboard PCI/PCIe diagnostic card with POST-codedisplayandLEDindicationsforsupplyrailsand reset/clock signals.	24	Nos

329	PhilipsScrew Driver	setof5 pieces(100mmto300mm)	11	Nos
330	Pincer	150mm	156	Nos
331	PipeCutter(WheelType)	6-25mm	32	Nos
332	PipeCuttertocut pipes	above5cmdiaIS10883certifed	59	Nos
333	Pipecuttingtool	Heavy-duty adjustable wheel-type pipe cutter IS 10883 certifedwithhardenedcuttingwheel,suitableforcommon metallic pipes up to approximately 50 mm	103	Nos
334	PipeDieSet	AdjustableBSP1"or 3/4"	29	Nos
335	Pipeflaring tool	Size:3/16-5/8tocreateprecise45°flaresincopper,brass, and aluminum tubing	32	Nos
336	Pipethreadingdiewith handle	RatchettypeDieheadof1/2",3/4"and1"	100	Nos
337	Pipevice(CastIron with hardenedjawopentype)	100mm	263	Nos
338	PipeWrench	250mm	75	Nos
339	PipeWrench	400mm	25	Nos
340	Pistonring compressor	Adjustableband-typecompressorforfittingpistonrings intoenginecylinders,suitableforapproximately50–125 mm pistons.	43	Nos

341	PistonRingexpanderand remover	Specialplier-typetoolforsafeexpansion,installationand removal of automotive piston rings without distortion	44	Nos
342	PistonRinggroovecleane r	Adjustabletoolwithinterchangeablehardenedcuttersfor cleaning carbon deposits from piston-ring grooves	32	Nos
343	PlaneCutter	50X200mm	156	Nos
344	Plier-FlatNose	150mm	63	Nos
345	Plier(Combination)	250mm	77	Nos
346	Plier(Flat Nose)	200mm	462	Nos
347	Plier(Insulated Round Nose)	100mm	448	Nos
348	Plier(LongNose)	150mm	653	Nos
349	Plier(RoundNose)	150mm	61	Nos
350	Plier(ViceGrip)	Lockingplierofforgedalloysteel,approximately250mm, with adjustable screw and quick-release lever.	58	Nos
351	Pliers	Set comprising combination, long-nose and diagonal-cuttingpliers,approximately150,withinsulatednon-slip handles.	30	Nos
352	Plugsocket(230V,5A)	Three-pinelectricalplugandsocketsetrated230VAC,5/6 A, with insulated body and brass contacts	116	Nos
353	Plumbingtools	Kit comprising pipe wrench 200mm, adjustable wrench 150mm,basinwrench250mm,pipecutter50mm,hacksaw 300mm, pliers 150mm, screwdrivers 200mm, PTFE tape.	59	Set
354	PneumaticRivetGunwit h Standard Accessories	Air-operatedblind-rivetgunsuitableforapproximately 2.4–4.8mmrivets,completewithnosepieces,airhose connector. CE Certified	57	Nos
355	Poker	200mm	2	Nos
356	Portableelectricdrill Machine	10mm500W230VBISCertified	2	Nos
357	PortableElectric Drill Machine	0-12mmcapacity750W,240VwithchuckandkeyBIS Certified	59	Nos

358	Portableoilmonitoring Indicator	800mmPTFEProbe,withOilTemperatureDisplay	1	Nos
359	Potmelting	Capacity500ml	2	Nos
360	Powertoolsfor fastening	Capacity10-18mm	72	Nos
361	Precisionsetofscrew drivers	T5,T6,T7	2	Nos
362	ProfessionalAirBlower	Powerconsumption:820W,No-loadspeed:16000rpm, Flowrate:0- 4.5, m3/s BIS Certified	16	Nos
363	Puller (Universal for RemovingPulleyand Bearing)	Heavy-dutyuniversalpullerwithinterchangeable two/ three jaws 150 mm	19	Nos
364	PullerforEV Motor	100mm	80	Nos
365	PulleyExtractor(Universal GearPuller2or3Jaws Adjustable)	Adjustabletwo-orthree-jawgearpullerofforgedalloy steel 100mm	62	Nos
366	PulleyPuller(With3Legs)	300mm	125	Nos
367	PulleyPuller(With3Legs)	150mm	53	Nos
368	Pulleys(forV-beltorFlat belt)tofiton50mmdia. Shaftwithkeyslot	completewithstandardkeyway	74	Nos
369	Punch(Center)	10x100mmIS7177Certified	143	Nos
370	Punch(Center)	10X120mmIS7177Certified	428	Nos
371	Punch(Center)	9X150mm IS7177Certified	976	Nos

372	Punch(Dot)	100 mm	571	Nos
373	Punch(DriftCopper)	150mm	129	Nos
374	Punch(Hollow6-15mm)	Setof7	50	Nos
375	Punch(HollowStraight set)	5-12mm	27	Nos
376	Punch(Letter)	3mm	19	Nos
377	Punch(Letter)	4mm	48	Nos
378	Punch(Number3mm)	Size3mm	18	Nos
379	PunchCentre	9mmX150mm	1239	Nos
380	PunchLetterandNumber	4mm	2	Set
381	PunchLetter4mm	Size4mm	2	Nos
382	PunchNumber	4mm	49	Nos
383	PunchPrick	150mm	134	Nos
384	PunchPrick	100mm	52	Nos
385	Radiatorpressurecap	Automotiveradiatorcapsfordemonstration	76	Nos
386	Rake	withminimum9teethsecurelyfittedwooden/metal handle.	1	Nos
387	ReflectorJackets	High-visibilityfluorescentjacketwithfrontandrear reflective strips	21	Nos
388	Rightcutsnips	250mm	4	Nos
389	RivetSetSnapandDolly combined	3mm,4mm,6mm	64	Nos
390	RJ45,BNC,D-Shell,Edge ConnectorCrimpingTool	Minimum200mmwithergonomichandle	2	Each
391	Rubbergloves	Reusablerubbergloveswithtexturedgrip,resistantto water and mild chemicals	590	Pair
392	SafetyBelt	Full-bodyindustrialsafetyharnesswithadjustablestraps BIS Certified	199	Nos
393	SafetyGoggles	Clear,impact-resistantgoggleswithsideprotection,and adjustable headband.	261	Nos

394	SafetyHelmet	Industrialsafetyhelmetwithhigh-densityshell,adjustable suspension, chin strap and ventilation IS 2925 certified	838	Nos
395	SafetyNormsHandbook	Printedhandbookcoveringapplicableworkshopsafety rules, PPE, electrical safety, fire prevention, machine guarding and emergency procedures.	46	Nos
396	SafetyShoes	SteelToeStandardSizeBISCertified	405	Nos
397	Scissors	200mm	7	Nos
398	Scissors	150mm	143	Nos
399	Scraper (Flat)	150mm	438	Nos
400	Scraper (Flat)	250mm	41	Nos
401	Scraper(HalfRound)	150mm	425	Nos
402	Scraper(HalfRound)	250mm	32	Nos
403	Scraper (Triangular)	250mm	481	Nos
404	Scraper triangular	15cm	80	Nos
405	Screw driver	Nos.860,862	50	Nos
406	Screw driver	150mmand200mmeach	4	Nos
407	Screw Driver	9x200mm	279	Nos
408	Screw Driver	9x300mm	324	Nos
409	Screwdriverelectrician	150mm	25	Nos
410	ScrewDriverInsulated	4mmX150mm,Diamond Head	1239	Nos
411	ScrewDriverInsulated	6mmX150mm	1239	Nos
412	Screwdriverset	(setof5)	144	Nos
413	Screw extractor	sizes1to8	3	Set
414	ScrewpitchGauge(Metric andBritish)	0.25to6mm	125	Nos
415	Screwdriver	150mm	24	Nos
416	Screwdriver(Diamond Head)	4mmX150mm	1591	Nos

417	Screwdriver(Electrician Connector Insulated HandleThinstem)	4x250mm	1351	Nos
418	Screwdriver(HeavyDuty)	5x200mm	922	Nos
419	Screwdriver(InsulatedFlat Type)	150mm	404	Nos
420	Screwdriver(Insulated)	6mmX150mm	930	Nos
421	Screwdriver(PhilipsSetof 5)	Size100-300mm	278	Nos
422	Screwdriverset	Setof7	12	Nos
423	Scriber	15cm	508	Nos
424	Scriber(Knurledcentre position)	150mm	391	Nos
425	Scriberwithscribingblack universal	300mm	55	Nos
426	ScribingBlockUniversal	220mmorHigher	58	Nos
427	Setofstockanddies - Metric	HSSmetricthreadingsetcoveringapproximatelyM3–M12, completewithadjustablestocks,handlesandstoragecase.	4	Set
428	ShearTinMan's	450mmx 600mm	4	Nos
429	SheetMetal Gauge	Stainless-steelcirculargauge75mm	2	Nos
430	SherTinmans	300mm	4	Nos
431	Shovel	Heavy-dutypressed-steelshovelwithcorrosion-resistant finish and securely fitted wooden handle.	2	Nos
432	Sinebar	125mm	28	Nos
433	SinebarandSine Centre each	200mm	1	Each
434	Sleeve(DrillMorseTaper)	No. 0-1,1-2,2-3,3-4,4- 5	36	Nos

435	SlipGauge(Metricina Box)	Setof87pieces	31	Nos
436	Slipgaugeset(STD)	Setof32pieces	1	Set
437	Slip-onForgedsteelFlange (150NB, ANSI-B16.5, Class#150)	50NB,ASME/ANSIB16.5,Class150,raised-facetypewith drilled bolt holes	295	Nos
438	SmallScrewDriver	75mm	5	Nos
439	SmoothingCutters	50X200mm	164	Nos
440	Snip(Left Cut)	250mm	341	Nos
441	Snip(RightCut)	250mm	55	Nos
442	Snip(Straight)	250mm	128	Nos
443	SolderingCopperHatchet type	500gms	68	Nos
444	Solderingcumdesoldering set	600watt	80	Nos
445	Solderingiron	25W.240VIS302 Certified	410	Nos
446	SolderingIron	240W	6	Nos
447	Solderingiron	10WIS302Certified	36	Nos

448	SolderingIron(Changeable Bit)	125WIS302Certified	136	Nos
449	SolderingIron(Changeable Bit)	60WIS302Certified	24	Nos
450	SolderingIron(Changeable Bit)	65WIS302 Certified	182	Nos
451	SolderingIron(CopperBit)	0.25KG	236	Nos
452	SolderingIron (TemperatureControlled)	50W230VIS302 Certified	190	Nos
453	Soldering Iron (Wooden HandleForged230V250W)	0.35KG	94	Nos
454	SolderingIronChangeable bits	15Watt,240VoltIS302Certified	152	Nos
455	SolderingStation	TemperatureRange200°C–400°C;HeatingElementHigh-Quality Ceramic Heater; Soldering Iron Power 15W (Typical), IS 302, CE Certified	30	Nos
456	SolidParallelsinpairs (Differentsize)inMetric	Setof3pair	64	Nos
457	SOP	Printedstandardoperatingprocedurescoveringsafe operation, inspection and maintenance of specified workshopequipment.	10	Nos
458	SOP Charts	Laminated,multicolourchartsshowingstepwiseoperating and safety procedures; minimum A2 size, suitable for wall mounting.	21	Nos
459	Spanner	D.E.6-26mmsetof10pcs.	160	Nos

460	Spanner(AdjustableDrop ForgedSS)	300mm	140	Nos
461	Spanner(AdjustablePipe Wrench)	350mm	41	Nos
462	Spanner(Adjustable)	150mm	336	Nos
463	Spanner(Adjustable)	350mm	20	Nos
464	Spanner(Adjustable)	380mm	35	Nos
465	Spanner(Clyburn)	150mm	28	Nos
466	Spanner(Socketwith speed handle, T-Bar, Ratchetand Universal)	setof28Pieceswithboxupto32mm	219	Nos
467	Spanner(Spark Plug)	14mmX18mm	70	Nos
468	Spanner(T-HeadAdopter withExtensionRod)	12.5mmX300mm	26	Nos
469	SpannerSet(Tubular Box 6-32mmwithTommy Bar)	Setof12	41	Nos
470	SpannerT.flocksfor screwing up and upscrewinginaccessible	8inchwith1/4 drive	63	Nos
471	Spanner,ring	setof12metricsizes6to32mm.	242	Nos
472	SpannersSet(Socket10-32mm,Driver12mm&attachment)	setof18	39	Nos
473	SpannersSet(Socket6-32 mm)	setof12	82	Nos
474	Sparklighter	Hand-operatedflint-typesparklighterforsafeignitionof gas torches, with replaceable flint.	4	Nos
475	Spindlekey	Hardenedsteelspindle/chuckkeyofsuitablesize	97	Nos

476	Spiritlevel	15cmMetalGovtapprovedNABLLabTestReportreport required	221	Nos
477	SpiritLevel(BasicLength Accuracy0.1mm/Meter)	300mmGovtapprovedNABLLabTestReportreport required	39	Nos
478	Springtensiontester	Portable mechanical tester for measuring tension and compressionforceofsprings,withcalibratedscaleand suitable gauge.	1	Nos
479	StakeGrooving	100X100X300mm	86	Nos
480	Stakegrooving	100mm	2	Nos
481	StakeHatchetwithLeg	300X200X20mm	74	Nos
482	Stake,hatchet	200mm	2	Nos
483	StandardTapscrews	M3,M4,M5,M6,M8,M10,M12,M14,M16	67	Nos
484	StandardWireGauge (Metric & Imperial)	Hardenedstainless-steelgaugeformeasuringwireand sheet thickness 150mm	389	Nos
485	Star dresser	Multi-wheelhardened-steelstardresserwithprotective guard and rigid handle	1	Nos
486	Steeltoolboxwith lockandkey (folding type)	400x200x150mm	229	Nos
487	Steel keys (May be manufacturedin-house)	Assortedparallel,taperandgib-headkeysmanufactured from carbon steel	124	Nos
488	Steelmeasuring tape	3metersBIScertified	4	Nos
489	Steelmeasuring tape	10meterinacaseBIScertified	6	Nos
490	Steel rule	150mm	646	Nos
491	Steel rule	30cminchandmetric	2504	Nos
492	Steel rule	30 cm & 60 cm graduated bothinEnglish&Metricunits	384	Nos
493	Steelwire Brush	50mmx150mm	10	Nos
494	Steeringwheelpuller	Universalsteering-wheelpullerwithhardenedcentre screw, crossbar	80	Nos

495	Stone,carborandum	15x5x4cmsmoothand rough.	1	Each
496	Stopcock25NB(2-way, Threadedend)	Two-waythreadedstopcock,25NB	145	Nos
497	Straightedge gauge	2 ft.	3	Nos
498	Straightedge gauge	4 ft.	3	Nos
499	StraightEdgeGauge	1200mm	61	Nos
500	StraightEdgeGauge	600mm	66	Nos
501	StraightEdgeSteel	300mm	61	Nos
502	Straightedge-Single beveled	Size150mmand250mmeach	1	Nos
503	Studextractor	setof3	76	Set
504	StudExtractorEZY-out	Setof8	95	Nos
505	Studremoverwithsocket handle	Cam/roller-typestudextractorwithsockethandle	39	Nos
506	Surfacegauge	Cast-ironbasesurfacegaugewithadjustablespindle 150mm	2	Nos
507	SurfaceGauge(withdial testindicatorPlungerTyp e 0.01mm)	0.01mmleastcount,adjustablestandandfine adjustment.	115	Nos
508	Surface Plate (Black Granite,MSAngleStan d	1600X600mm	27	Nos

	with Powder Coating, 3 LevellingScrewandCover)			
509	Surface Plate (Black Granite,MSAngleStand with Powder Coating, 3 LevellingScrewandCover)	600X600X25mm	34	Nos
510	SurfacePlatewithstand	Castiron300x300mm	16	Nos
511	SurfaceRoughness ComparisonPlates	N1-N12Grade	48	Nos
512	Tachometer(Counting type)	Handheldmechanicalrevolutioncounterwithfive-digit display	2	Nos
513	TapandWrench(Metric)	HSSmetrictapsetcoveringapproximatelyM2–M6	56	Nos
514	Tapextractor	3mmto 12mm x1.5mm(ezzyout)	3	Set
515	Tapset	Differentsize	118	Each
516	Tapershank drills	Ø6mm to Ø20mm instepsof1 mm	2	Set
517	TapsandDiescomplete setin box	5,6,8,10,&12mm setof5 Metric	77	Nos
518	TapsandDiescomplete setin box	BA0 to10	22	Nos
519	TapsandDiescomplete setin box	BSFupto1 inch	27	Nos
520	TapsandDiescomplete setin box	BSWupto 1inch	29	Nos
521	TapsandDiescomplete setin box	Witworth	25	Nos
522	TapsandDiescomplete setin box	BSP	27	Nos
523	TapsandDiescomplete setin box	Metric	27	Nos
524	TapsandDiescomplete sets	5 Types	2	Set

525	Technicalspecification Sheet	Printed equipment datasheet containing model, construction, capacity, operating range, power requirement,dimensions,accessoriesandapplicable standards.	30	Each
526	Telescope Gauge	8mmto150mm	126	Nos
527	Temperaturegauge	0-100degree	4	Nos
528	Testlamp	Automotivetestlampsuitablefor6–24VDC circuits	3	Nos
529	Testlight	Handheld electrical test light with insulated probe and lead,suitableforcheckingautomotivevoltageandcircuit continuity	6	Nos
530	Testersparking plug 'NEON'Type	Inlineneon-typeignition/spark-plugtesterwithinsulated body	1	Nos
531	Thermostat	approximately82–88°C,Automotiveengine-cooling thermostat of suitable standard size	4	Nos
532	Threadpitchgaugemetric, BSW	Foldingsteelleaf-gaugesetforcheckingmetricandBritish Standard Whitworth thread pitches	2	Nos
533	Timinglighter	Xenon/LEDautomotiveignitiontiminglightsuitablefor12 V systems	2	Nos
534	Tinman’sShear	300mm	100	Nos
535	Tinman’sShear	450mmX600mm	59	Nos
536	Tip cleaner	Setofassortedcalibratedwirecleanersinprotective holderforcleaningwelding/cutting-torchnozzletips	316	Nos

537	TongTester(Digital	0 -100 A	149	Nos
538	ToolkitBox/bag	Toolboxwithmultiplecompartments	295	Nos
539	Toolmaker's clamp	50mmand75mmeach	4	Nos
540	Toolsmakersvice	100mm(clamp)	1	Nos
541	Toolsmakersvice	50mm(clamp)	1	Nos
542	Tools required for assemblylinesetup	Complete set of spanners, sockets, screwdrivers, pliers, torquewrench,Allenkeys,crimpingtools,measuringtools and fastening accessories.	5	Set
543	TorqueWrench	12-68Nm	41	Nos
544	TorqueWrench	5-35 Nm	38	Nos
545	TorqueWrench	50 -225 Nm	40	Nos
546	TorqueWrench (Standard/	14to68Nm	36	Nos
547	Torquewrenches	5-35Nm,12-68Nm&50-225Nm	1	Each
548	Torquewrenches	8N-mto15N-m	59	Nos
549	Trammel	30cm	88	Nos
550	Try Square	150mmblade	758	Nos
551	Tubularbox spanner	(setof6nos.)	6	Nos
552	Tubularbox spanner	Set -6-32mm	1	Set
553	Tweezers	100mm	144	Nos
554	Tweezers	SmartSMDtestertweezerresistancecapacitance,diode test auto power off	30	Nos
555	Tweezers	150mm	264	Nos
556	Tweezers–Bendtip	ESDSafe 150mm	2	Nos
557	Twist Drill	straightShankØ5toØ12mminstepsof0.5mm	2	Set
558	Twist Drill	straightShankØ8mm	2	Set

559	TwistedPairCable	Category6UTPcable,4twistedpairs,23/24AWGsolid copper conductors, 100 Ω	91	Nos
560	Tyre&splitrimwheel assembly	tube/flapandsplit-rimwheelassemblyforsafedismantling and assembly demonstration	16	Nos
561	Tyrepressure gauge	Portabledigitaltyre-pressuregaugewithsuitablerangeup to approximately 150 psi	16	Nos
562	Tyrepressuregauge with holding nipple	Pressuregaugeuptoapproximately150psi,fittedwith flexible hose and self-holding clip-on	73	Nos
563	UniversalPuller (for RemovingPulley,Bearings)	Size100mm	7	Nos
564	UniversalQuickAdjustable Multi-function Wrench Spanner	Range:6-32mm	16	Nos
565	UniversalScribingBlock (ScriberKnurledcen	150mm	20	Nos
566	V block	V-Blockpair7cmwithclamps	160	Nos
567	V block	V-Block15cmwithclamps	160	Nos
568	V"BlockwithClamp	75x38mm pair	53	Nos
569	Vacuumgaugeto	0to760mmofHg.	71	Nos
570	ValveLifter	300mm	33	Nos
571	Valvespringcompressor	150mm	39	Nos
572	V-beltandFlatbelt	50mm	70	Nos
573	V-block	50mmX100mm and75mm X100	2	Nos
574	V -	150x100x 100mm	61	Nos

575	V-Block, Files, maIIets,screw drivers, chisels etc	75mm, 150mm smooth, 250gm, 150mm, 10mm respective sizes	160	Nos
576	Vernier bevel protractor	150 mm blade	41	Nos
577	Vernier Bevel Protractor	300 mm Blades LC 5 Minutes Blade with Acute Angle Attachment	29	Nos
578	Vernier caliper	0-300 mm with least count0.02mm	138	Nos
S79	Vernier Caliper	l50mm with 0.02 mm least count	330	Nos
580	Vernier Caliper Dial	300 mm LC0.02 mm	37	Nos
581	Vernier Caliper Digital Type	200 mm Graduated in Metric & British LC 0.01 mm/0.001 Inch	52	Nos
582	Vernier caliper with 0.02mm least count	150mm and 200 mm	4	Each
583	Vernier Height Gauge	300 mm Graduated in Metric LC 0.02 mm NABL Accredited lab	31	Nos
584	Vice grip pliers	150 mm minimum	4	Nos
585	Volt meter	50V/DC	4	Nos
S86	Washer, clutch, keys, jib, cotter & circlip minimum 25mm size, carbon steel	Assorted set	145	Nos
587	Water pump for dismantling and assembling	Automotive/tractor engine water-pump assembly complete with housing	2	Nos
588	Wheel Dresser (Diamond	150 mm Length	36	Nos
589	Wing compass	2Scm	2	Nos
590	Wing Compass	300mm	68	Nos
591	Wire cutter and stripper	l50mm	471	Nos
592	Wire Gauge (metric)	100mm	9	Nos
593	Wire stripper	100mm	210	Nos
594	Wire stripper	200mm	270	Nos

595	Wire stripper adjustable length	Automatically adjusts to wire diameters from 0.25 mm2 to 6.0 mm2	118	Nos